

CONSTRUCTION PLANS


HURRICANE SALLY STORMWATER OUTFALL
& RETENTION POND SEDIMENT

PREPARED FOR:
CITY OF PARKER, FLORIDA
FEMA DISASTER # 4564DR - DAMAGE # 416379


RELEASED FOR BIDDING
PURPOSES ONLY - NOT FOR
CONSTRUCTION

CITY COUNCIL

- MAYOR, ANDREW KELLY
- COUNCIL MEMBER/MAYOR PRO-TEM, TONYA BARROW
- COUNCIL MEMBER, RONALD H. CHAPLE
- COUNCIL MEMBER, STACIE GALBREATH
- COUNCIL MEMBER, APRIL L. GIBSON



VICINITY MAP






LOCATION MAP



INDEX OF SHEETS


- C0.0 COVER SHEET
- C0.1 LOCATION MAP
- C1.0 SITE 1 - OUTFALL 1143 WEST STREET
- C1.1 SITE 2 - OUTFALL 5th STREET
- C1.2 SITE 3 - OUTFALL CENTER STREET & E. 3rd STREET
- C1.3 SITE 4 - OUTFALL 1028 EAST STREET
- C1.4 SITE 5 - OUTFALL 1031 BRANNON PLACE
- C1.5 SITE 6 - OUTFALL 5302 SOULE DRIVE
- C1.6 SITE 7 - OUTFALL 5324 SOULE DRIVE
- C1.7 SITE 8 - (REMOVED FROM PROJECT SCOPE)
- C2.0 MISCELLANEOUS DETAILS

DATE: 7/8/2024



NOTES:

1. DREDGE PIPE POSITIONED BY THE CONTRACTOR SHALL NOT IMPACT WETLAND, MARSH OR SEAGRASS RESOURCES.
2. MATERIAL TO BE REMOVED VIA HYDRAULIC OR MECHANICAL DREDGING . MAXIMUM DREDGING DEPTH OF -4 FT NAVD.
3. SPOILS TO BE PLACED ON A BARGE FOR TRANSPORT. THE BARGE MAY ALSO BE USED TO DEWATER THE DREDGED MATERIAL. THE CONTRACTOR SHALL UTILIZE HAY BALES, FILTER CLOTH OR OTHER SIMILAR METHOD TO ENSURE WATER QUALITY STANDARDS ARE MAINTAINED.
4. AS AN ALTERNATE IN SOME LOCATIONS AS SHOWN, A FILTER CLOTH LINED ROLL OFF CONTAINER OR SIMILAR MAY BE UTILIZED IN UPLAND AREAS FOR DEWATERING. CONTRACTOR IS RESPONSIBLE FOR ENSURING WATER QUALITY STANDARDS ARE MAINTAINED.
5. ONCE DEWATERED, THE CITY WILL STOCKPILE THE SPOILT MATERIAL AT 4721 U.S. BUSINESS 98 TO BE USED FOR PUBLIC PURPOSE. AS AN ALTERNATE, THE CITY MAY ELECT TO HAVE THE DREDGED SEDIMENT HAULED TO THE STEELFIELD CLASS 1 LANDFILL AT 11411 LANDFILL RD, PANAMA CITY BEACH, FLORIDA.
6. POSSIBLE MOORING LOCATIONS ARE SHOWN ON THE PLANS. CONTRACTOR SHALL ENSURE MOORING OPERATIONS DO NOT AFFECT OR DAMAGE SEAGRASS BEDS IN ANY WAY.
7. CONTRACTOR SHALL TAKE CARE TO PROTECT THE SEAGRASS BEDS IN ALL SITUATIONS. CONTRACTOR SHALL ENSURE THE DRAFT OF THE BARGE IS SHALLOW ENOUGH TO AVOID DISTURBING THE SEAGRASSES AT MLW..
8. THE CITY OF PARKER WILL COORDINATE WITH ALL POTENTIALLY AFFECTED HOMEOWNERS PRIOR TO COMMENCEMENT OF DREDGE ACTIVITIES WITHIN THE PROJECT AREA.



DREDGE AREA PROFILE






NOT TO SCALE

SITE 1 PROPOSED DREDGE PLAN:


DREDGE AREA	2,021 SF
DREDGE VOLUME	471 CY
SEAGRASS HEIGHT	6 IN

BID SET						
No.	Date	Revision				
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						
71						
72						
73						
74						
75						
76						
77						
78						
79						
80						
81						
82						
83						
84						
85						
86						
87						
88						
89						
90						
91						
92						
93						
94						
95						
96						
97						
98						
99						
100						
101						
102						
103						
104						
105						
106						
107						
108						
109						
110						
111						
112						
113						
114						
115						
116						
117						
118						
119						
120						
121						
122						
123						
124						
125						
126						
127						
128						
129						
130						
131						
132						
133						
134						
135						
136						
137						
138						
139						
140						
141						
142						
143						
144						
145						
146						
147						
148						
149						
150						
151						
152						
153						
154						
155						
156						
157						
158						
159						
160						
161						
162						
163						
164						
165						
166						
167						
168						
169						
170						
171						
172						
173						
174						
175						
176						
177						
178						
179						
180						
181						
182						
183						
184						
185						
186						
187						
188						
189						
190						
191						
192						
193						
194						
195						
196						
197						
198						
199						
200						

SITE 1 - OUTFALL 1143 WEST STREET HURRICANE SALLY STORMWATER OUTFALL & RETENTION POND SEDIMENT CITY OF PARKER - BAY COUNTY - FLORIDA
--



- ## NOTES:
1. DREDGE PIPE POSITIONED BY THE CONTRACTOR SHALL NOT IMPACT WETLAND, MARSH OR SEAGRASS RESOURCES.
 2. MATERIAL TO BE REMOVED VIA HYDRAULIC OR MECHANICAL DREDGING . MAXIMUM DREDGING DEPTH OF -4 FT NAVD.
 3. SPOILS TO BE PLACED ON A BARGE FOR TRANSPORT. THE BARGE MAY ALSO BE USED TO DEWATER THE DREDGED MATERIAL. THE CONTRACTOR SHALL UTILIZE HAY BALES, FILTER CLOTH OR OTHER SIMILAR METHOD TO ENSURE WATER QUALITY STANDARDS ARE MAINTAINED.
 4. AS AN ALTERNATE IN SOME LOCATIONS AS SHOWN, A FILTER CLOTH LINED ROLL OFF CONTAINER OR SIMILAR MAY BE UTILIZED IN UPLAND AREAS FOR DEWATERING. CONTRACTOR IS RESPONSIBLE FOR ENSURING WATER QUALITY STANDARDS ARE MAINTAINED.
 5. ONCE DEWATERED, THE CITY WILL STOCKPILE THE SPOILT MATERIAL AT 4721 U.S. BUSINESS 98 TO BE USED FOR PUBLIC PURPOSE. AS AN ALTERNATE, THE CITY MAY ELECT TO HAVE THE DREDGED SEDIMENT HAULED TO THE STEELFIELD CLASS 1 LANDFILL AT 11411 LANDFILL RD, PANAMA CITY BEACH, FLORIDA.
 6. POSSIBLE MOORING LOCATIONS ARE SHOWN ON THE PLANS. CONTRACTOR SHALL ENSURE MOORING OPERATIONS DO NOT AFFECT OR DAMAGE SEAGRASS BEDS IN ANY WAY.
 7. CONTRACTOR SHALL TAKE CARE TO PROTECT THE SEAGRASS BEDS IN ALL SITUATIONS. CONTRACTOR SHALL ENSURE THE DRAFT OF THE BARGE IS SHALLOW ENOUGH TO AVOID DISTURBING THE SEAGRASSES AT MLW..
 8. THE CITY OF PARKER WILL COORDINATE WITH ALL POTENTIALLY AFFECTED HOMEOWNERS PRIOR TO COMMENCEMENT OF DREDGE ACTIVITIES WITHIN THE PROJECT AREA.



DREDGE AREA PROFILE

NOT TO SCALE

SITE 2 PROPOSED DREDGE PLAN:

DREDGE AREA	968 SF
DREDGE VOLUME (MAX)	433 CY
SEAGRASS HEIGHT	6 IN

BID SET


		No.	Date	Revision
	A ₁			
	B ₁			
	C ₁			
	D ₁			
	E ₁			
	F ₁			

Designed:	E. Moore
Drawn:	B. Silcox
Checked:	E. Moore
Job No.:	1620-023
Date:	7/8/2024

**SITE 2 - OUTFALL
EAST 5TH STREET**

**HURRICANE SALLY STORMWATER OUTFALL
& RETENTION POND SEDIMENT**


CITY OF PARKER - BAY COUNTY - FLORIDA



- GRASS BED
- MARSH GRASS
- TURBIDITY BARRIER

NOTES:

- DREDGE PIPE POSITIONED BY THE CONTRACTOR SHALL NOT IMPACT WETLAND, MARSH OR SEAGRASS RESOURCES.
- MATERIAL TO BE REMOVED VIA HYDRAULIC OR MECHANICAL DREDGING . MAXIMUM DREDGING DEPTH OF -4 FT NAVD.
- SPOILS TO BE PLACED ON A BARGE FOR TRANSPORT. THE BARGE MAY ALSO BE USED TO DEWATER THE DREDGED MATERIAL. THE CONTRACTOR SHALL UTILIZE HAY BALES, FILTER CLOTH OR OTHER SIMILAR METHOD TO ENSURE WATER QUALITY STANDARDS ARE MAINTAINED.
- AS AN ALTERNATE IN SOME LOCATIONS AS SHOWN, A FILTER CLOTH LINED ROLL OFF CONTAINER OR SIMILAR MAY BE UTILIZED IN UPLAND AREAS FOR DEWATERING. CONTRACTOR IS RESPONSIBLE FOR ENSURING WATER QUALITY STANDARDS ARE MAINTAINED.
- ONCE DEWATERED, THE CITY WILL STOCKPILE THE SPOILT MATERIAL AT 4721 U.S. BUSINESS 98 TO BE USED FOR PUBLIC PURPOSE. AS AN ALTERNATE, THE CITY MAY ELECT TO HAVE THE DREDGED SEDIMENT HAULED TO THE STEELFIELD CLASS 1 LANDFILL AT 11411 LANDFILL RD, PANAMA CITY BEACH, FLORIDA.
- POSSIBLE MOORING LOCATIONS ARE SHOWN ON THE PLANS. CONTRACTOR SHALL ENSURE MOORING OPERATIONS DO NOT AFFECT OR DAMAGE SEAGRASS BEDS IN ANY WAY.
- CONTRACTOR SHALL TAKE CARE TO PROTECT THE SEAGRASS BEDS IN ALL SITUATIONS. CONTRACTOR SHALL ENSURE THE DRAFT OF THE BARGE IS SHALLOW ENOUGH TO AVOID DISTURBING THE SEAGRASSES AT MLW..
- THE CITY OF PARKER WILL COORDINATE WITH ALL POTENTIALLY AFFECTED HOMEOWNERS PRIOR TO COMMENCEMENT OF DREDGE ACTIVITIES WITHIN THE PROJECT AREA.



DREDGE AREA PROFILE

NOT TO SCALE

SITE 3 PROPOSED DREDGE PLAN:

DREDGE AREA	2,328 SF
DREDGE VOLUME	265 CY
SEAGRASS HEIGHT	6 IN



Call 811 or www.sunshine811.com two full business days before digging to have utilities located and marked.
Check weather response codes before you dig!



P. 850.215.1285 • F. 850.215.1286
450 Magnolia Avenue, Panama City, FL 32401
CA Number: 31422



Elizabeth S. Moore, PE
FL License No.: 57607

BID SET					
No.	Date	Revision			
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					


SITE 3 - OUTFALL
CENTER STREET AND EAST 3RD STREET
HURRICANE SALLY STORMWATER OUTFALL
& RETENTION POND SEDIMENT
CITY OF PARKER - BAY COUNTY - FLORIDA

Sheet No.

C1.2



- NOTES:**
- DREDGE PIPE POSITIONED BY THE CONTRACTOR SHALL NOT IMPACT WETLAND, MARSH OR SEAGRASS RESOURCES.
 - MATERIAL TO BE REMOVED VIA HYDRAULIC OR MECHANICAL DREDGING . MAXIMUM DREDGING DEPTH OF -4 FT NAVD.
 - SPOILS TO BE PLACED ON A BARGE FOR TRANSPORT. THE BARGE MAY ALSO BE USED TO DEWATER THE DREDGED MATERIAL. THE CONTRACTOR SHALL UTILIZE HAY BALES, FILTER CLOTH OR OTHER SIMILAR METHOD TO ENSURE WATER QUALITY STANDARDS ARE MAINTAINED.
 - AS AN ALTERNATE IN SOME LOCATIONS AS SHOWN, A FILTER CLOTH LINED ROLL OFF CONTAINER OR SIMILAR MAY BE UTILIZED IN UPLAND AREAS FOR DEWATERING. CONTRACTOR IS RESPONSIBLE FOR ENSURING WATER QUALITY STANDARDS ARE MAINTAINED.
 - ONCE DEWATERED, THE CITY WILL STOCKPILE THE SPOILT MATERIAL AT 4721 U.S. BUSINESS 98 TO BE USED FOR PUBLIC PURPOSE. AS AN ALTERNATE, THE CITY MAY ELECT TO HAVE THE DREDGED SEDIMENT HAULED TO THE STEELFIELD CLASS 1 LANDFILL AT 11411 LANDFILL RD, PANAMA CITY BEACH, FLORIDA.
 - POSSIBLE MOORING LOCATIONS ARE SHOWN ON THE PLANS. CONTRACTOR SHALL ENSURE MOORING OPERATIONS DO NOT AFFECT OR DAMAGE SEAGRASS BEDS IN ANY WAY.
 - CONTRACTOR SHALL TAKE CARE TO PROTECT THE SEAGRASS BEDS IN ALL SITUATIONS. CONTRACTOR SHALL ENSURE THE DRAFT OF THE BARGE IS SHALLOW ENOUGH TO AVOID DISTURBING THE SEAGRASSES AT MLW..
 - THE CITY OF PARKER WILL COORDINATE WITH ALL POTENTIALLY AFFECTED HOMEOWNERS PRIOR TO COMMENCEMENT OF DREDGE ACTIVITIES WITHIN THE PROJECT AREA.



DREDGE AREA PROFILE

NOT TO SCALE

SITE 5 PROPOSED DREDGE PLAN:

DREDGE AREA	363 SF
DREDGE VOLUME	43 CY
SEAGRASS HEIGHT	6 IN





Elizabeth S. Moore, PE
FL License No.: 57607

BID SET						
No.	Date	Revision				
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						
71						
72						
73						
74						
75						
76						
77						
78						
79						
80						
81						
82						
83						
84						
85						
86						
87						
88						
89						
90						
91						
92						
93						
94						
95						
96						
97						
98						
99						
100						


SITE 5 - OUTFALL
1031 BRANNON PLACE
HURRICANE SALLY STORMWATER OUTFALL
& RETENTION POND SEDIMENT
CITY OF PARKER - BAY COUNTY - FLORIDA

Sheet No.
C1.4



NOTES:

1. DREDGE PIPE POSITIONED BY THE CONTRACTOR SHALL NOT IMPACT WETLAND, MARSH OR SEAGRASS RESOURCES.
2. MATERIAL TO BE REMOVED VIA HYDRAULIC OR MECHANICAL DREDGING . MAXIMUM DREDGING DEPTH OF -4 FT NAVD.
3. SPOILS TO BE PLACED ON A BARGE FOR TRANSPORT. THE BARGE MAY ALSO BE USED TO DEWATER THE DREDGED MATERIAL. THE CONTRACTOR SHALL UTILIZE HAY BALES, FILTER CLOTH OR OTHER SIMILAR METHOD TO ENSURE WATER QUALITY STANDARDS ARE MAINTAINED.
4. AS AN ALTERNATE IN SOME LOCATIONS AS SHOWN, A FILTER CLOTH LINED ROLL OFF CONTAINER OR SIMILAR MAY BE UTILIZED IN UPLAND AREAS FOR DEWATERING. CONTRACTOR IS RESPONSIBLE FOR ENSURING WATER QUALITY STANDARDS ARE MAINTAINED.
5. ONCE DEWATERED, THE CITY WILL STOCKPILE THE SPOILT MATERIAL AT 4721 U.S. BUSINESS 98 TO BE USED FOR PUBLIC PURPOSE. AS AN ALTERNATE, THE CITY MAY ELECT TO HAVE THE DREDGED SEDIMENT HAULED TO THE STEELFIELD CLASS 1 LANDFILL AT 11411 LANDFILL RD, PANAMA CITY BEACH, FLORIDA.
6. POSSIBLE MOORING LOCATIONS ARE SHOWN ON THE PLANS. CONTRACTOR SHALL ENSURE MOORING OPERATIONS DO NOT AFFECT OR DAMAGE SEAGRASS BEDS IN ANY WAY.
7. CONTRACTOR SHALL TAKE CARE TO PROTECT THE SEAGRASS BEDS IN ALL SITUATIONS. CONTRACTOR SHALL ENSURE THE DRAFT OF THE BARGE IS SHALLOW ENOUGH TO AVOID DISTURBING THE SEAGRASSES AT MLW..
8. THE CITY OF PARKER WILL COORDINATE WITH ALL POTENTIALLY AFFECTED HOMEOWNERS PRIOR TO COMMENCEMENT OF DREDGE ACTIVITIES WITHIN THE PROJECT AREA.



DREDGE AREA PROFILE

NOT TO SCALE

SITE 7 PROPOSED DREDGE PLAN:

DREDGE AREA	1,507 SF
DREDGE VOLUME	167 CY
SEAGRASS HEIGHT	6 IN

BID SET

No.	Date	Revision
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

Designed:	E. Moore
Drawn:	B. Silcox
Checked:	E. Moore
Job No.:	1620-023
Date:	7/8/2024

